According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

Product name:Dexoll PP GL-4 90WDate of issue:23. 02. 2012Revision date:22. 07. 2015 (Version 3.0)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

#### 1.1 Product Identifier

## Dexoll PP GL-4 90W

Chemical name: Mixtures

Registration No.: None Index No.: None

**1.2 Relevant identified uses of the substance/mixture and uses advised against** Automotive gear oil

#### 1.3 Details of the supplier of the safety data sheet

Name:GrandX, s.r.oPlace of business:Železničná 3214/1, 038 61 VrútkyPhone:+421 434 306 414E-mail:info@grandx.skWebsite:www.grandx.sk

#### 1.4 Emergency phone numbers

National Toxicological Information Center +421 2 54 77 4 166

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance/mixture According to 1272/2008 (CLP) the product is classified as hazardous. Sensitizing: Skin Sens. 1, H317 Dangerous for the environment: Aquatic Chronic 3, H412

2.2 Label elements according to the European Regulation (EC) No 1272/2008 Pictogram:



Warning description: Warning
Standard phrases of hazard: May cause an allergic skin reaction Harmful to aquatic life with long lasting effects
Safe handling instructions Contaminated work clothing should not be allowed out of the workplace. Wear protective clothing.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice.
Take off contaminated clothing and wash before reuse. Avoid release to the environment.
Dispose of contents/container according to local regulations

#### Hazardous components which must be listed on the label

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

#### Product name: Dexoll PP GL-4 90W

 Date of issue:
 23. 02. 2012

 Revision date:
 22. 07. 2015 (Version 3.0)

Polysulfid, di-terc.butyl; The reaction products of bis (4-methylpentane-2-yl) dithiofosfor acids with phosphorus oxide, propylene oxide and C12-14 branched alkylamines

## Other requirements

None

### 2.3 Other hazards

The product is not persistent, bioaccumulative and toxic chemical substance or very persistent and very bioaccumulative chemical substance according to the criteria set out in Annex XIII to the EC (PBT, vPvB). Flammable liquid: Prolonged or frequently repeated exposure to this product may cause eye and skin irritation. The inhalation of oil mist may irritate the breathing passages. Swallowing and subsequent vomiting may make the liquid reach and seriously damage the lungs.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

The product is not the substances

#### 3.2 Mixtures

Substance name	Substance content in the product (%)	EC No.	CAS No.	Classification according to 1272/2008 (CLP)	Reg. No.
Polysulfide, di-terc. butyl	1.35	273-103-3	-	Skin Sens. 1, H317 Aquatic Chronic 3, H412	01-2119540512-43
The reaction products of bis (4-methylpentane-2-yl) dithiofosfor acids with phosphorus oxide, propyl- ene oxide and C12-14 branched alkylamines	0.45	931-384-6	-	Acute Tox. 4, H302 Aquatic Chronic 2, H411 Eye Dam. 1, H318 Skin Sens. 1, H317	01-2119493620-38
Cis-oktadec-9-enylamin	0.11	204-015-5	-	Acute Tox. 4, H302 Asp. Tox. 1, H304 Eye Dam. 1, H318 Skin Corr. 1B, H314 STOT RE 2, H373 STOT SE 3, H335 Aquatic Acute 1, H400, M=10 Aquatic Chronic 1, H410, M=10	not available
*Mineral (base) oils	Exposure limits see Article 8.1.         01-2119486951-26           01-2119495601-36         01-2119495601-36				

Within the intention of note L in the list of classified products, they are not classified as dangerous substances.

Full texts of H-phrases are quoted in Section 16

#### **Further information**

For the exposure limits stipulated by the Scientific Committee on Occupational Exposure Limits, see Section 8.1.

#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

If the first aid treatment is to be administered, release tight clothing and keep the exposed person warm and at rest. If conscious, place the exposed person to the stabilised position and get prompt medical attention. If the exposed person is unconscious and not breathing, provide for free respiratory passages and artificial respiration. In case of cardiac arrest, apply cardiac massage and call medical assistance immediately. If unconscious but breathing, place the exposed person to the stabilised position and call medical assistance immediately.

#### The first aid instructions are structured according to separate exposure ways:

**Inhalation**: Move the exposed person to fresh air or to a well-ventilated place, keep the exposed person warm and at rest, do not leave the person unattended. Get prompt medical assistance.

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

#### Product name: Dexoll PP GL-4 90W

Date of issue:	23. 02. 2012
Revision date:	22. 07. 2015 (Version 3.0)

**Skin contact:** Remove the contaminated clothes and footwear immediately. Keep washing the affected body parts with soap and warm water and treat them with a suitable cream. If any irritation, swelling or reddening occurs, get prompt medical assistance. Wash the contaminated clothes before re-use. Footwear and other leather clothing parts must be replaced with new.

**Contact with eyes**: Check for contact lenses and remove them, if present. Rinse the eyes thoroughly with ample quantity of clean (lukewarm, if possible) water for at least 15 minutes. If eye irritation persists, seek medical assistance.

**Ingestion:** Remove any artificial denture, if present. Rinse the mouth with water, but never induce vomiting - vomit should not get into the lungs. Get prompt medical attention. If nevertheless spontaneous vomiting occurs, place the exposed person to the stabilised position with his/her legs slightly elevated. Seek immediate medical assistance.

## 4.2 Most important symptoms and effects, both acute and delayed

None

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Inhalation**: The product has negative effects on the central nervous system. At higher concentrations, the product vapours have narcotic effects that may cause convulsions or even death. Check for breathing and pulse rate of the affected person.

**Ingestion and inhalation:** If swallowed or inhaled, the product may cause serious damage of lungs. Do not induce vomiting. Contraindications: induced vomiting and gastric irrigation. Administration of medicinal charcoal has no effect. The affected person must be monitored at least for the period of 48 to 72 hours. Monitoring for pulmonary oedema symptoms starts six hours after the ingestion/inhalation and it continues at least for the period of 48 to 72 hours.

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable extinguishing means:** Heavy, medium and light air-mechanical foam, type B or C fire-extinguishing powders.

Unsuitable extinguishing means: Water jet (for cooling only).

#### 5.2 Special hazards arising from substance or mixture

Combustion products and hazardous gases: smoke, carbon monoxide, carbon dioxide. Explosive mixtures with air are formed.

#### 5.3 Advice for fire-fighters

Fire-fighting teams exposed to smoke or vapours must wear respiratory and eye protection. In confined spaces, the teams must use a self-contained breathing apparatus.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Prevent any contamination of clothing/footwear with the product; prevent any contact with skin and eyes. Use suitable protective clothing; if contaminated, change the clothing immediately. Remove any potential source of ignition. Strictly no smoking or naked flames. If possible, larger spills may be covered with foam in order to control the creation of vapours and aerosols. Provide for good ventilation of the affected areas. All persons not taking part in rescue operations must be kept away to a sufficient distance.

#### 6.2 Environmental precautions

Act as quick as possible, do not allow to enter drains, underground water or watercourses and soil by enclosing the affected area (damming, closing of gulleys). Notify the relevant authorities.

#### 6.3 Methods and material for containment and cleaning up

If possible, contain the spillage and pump off or remove the product mechanically or draw it off the water surface. Let absorb any residua or smaller quantities to a suitable sorbent (Vapex, Chezacarb, saw dust, sand) and place it into labelled containers for further disposal in accordance with the relevant waste disposal legislation.

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

Product name:	Dexoll PP GL-4 90W
Date of issue:	23. 02. 2012

Revision date: 22. 07. 2015 (Version 3.0)

#### 6.4 References to other sections

Apart from the instruction set out in this Section, other important information is shown in section 8 - EX-POSURE CONTROLS AND SECTION 13 – DISPOSAL CONSIDERATIONS.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

The premises must be equipped according to the requirements of ČSN 75 3415 (Czech Standard). All firesafety measures must be followed while handling the product. Strictly no smoking or naked flames. In addition, it is necessary to avoid any inhalation of vapours or aerosol, contamination of skin and/or eyes. If handling of heavy containers is necessary, use suitable handling equipment and avoid of any possibility of slipping. Do not eat, drink and smoke at work. Store the product away from foodstuffs, drinks and fodder.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in areas protected from rain, dust, heat and other weather-Weather proofing. Maximum storage temperature is 40 ° C. Protect against water.

#### 7.3 Specific end use(s)

Automotive gear oil

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT**

#### 8.1 Control parameters

Workplace occupational exposure limit (under Regulation No. 361/2007 Coll., as amended):

PEL	mineral oil: 5 n	ng/m <sup>3</sup>				
NPK-P	mineral oil: 10	mg/m <sup>3</sup>				_
Inhalation: long-ter	m exposure:	occupational			intermittent = 5.4 mg/r	
		General population	DNEL	(inhalation)	intermittent = 1.2 mg/r	n³/24 h

## 8.2 Exposure controls

Observe general safety and hygienic measures; do not eat, drink and smoke at work. After washing the skin with warm water and soap, treat it preventively with a regeneration cream.

Eye/face protection: Use protective goggles or safety eyewear (face shield).

**Skin protection**: Use protective gloves resistant against oil products and tested according to EN 374; best of all made of nitrile or neoprene rubber.

**Respiratory protection**: Not necessary, if the vapour concentration in air is less than the concentration limits. If the opposite is the case or aerosols are created, use emergency escape mask with A, AX (brown) filters or any other mask types suitable of protecting against organic gases and vapours.

#### Thermal hazard: None

Environmental exposure controls: It is necessary to prevent leakage into the environment by all available means.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance:	liquid		
Colour:	brown		
Odour:	typical		
Odour threshold value:	not determined		
pH:	no determination necessary		
Pour point:	-21 °C		
Initial boiling point and boiling range: not determined			
Flash point OK:	> 200 °C		
Vaporisation rate:	not determined		
Flammability:	IV. Class		
Upper/lower explosion or f	flammability limits: not determined		

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

Product name:	Dexoll PP GL-4 90W
Date of issue:	23. 02. 2012
Revision date:	22. 07. 2015 (Version 3.0)

Vapour pressure:	< 10 Pa at 20 °C
Vapour density:	not determined
Relative density:	910 kg/m <sup>3</sup> at 15 °C
Solubility:	insoluble in water
Separation factor:	n-octanol/water: not determined
Self-ignition temperature:	340 °C
Decomposition temperatur	
Viscosity:	13.5 to 24.0 mm <sup>2</sup> /s/100 °C
Explosive properties:	not explosive
Oxidation properties:	not oxidising
Oxidation properties:	not oxidising

#### 9.2 Other information

## Combustion point: 230 °C

## SECTION 10: STABILITY & REACTIVITY

- **10.1 Reactivity:** No reactivity danger exists.
- 10.2 Chemical stability: Stable under recommended storage and handling conditions.
- 10.3 Possibility of dangerous reactions: No dangerous reactions are possible.
- **10.4 Conditions to be avoided:** Creation of concentrations within the explosion limits, presence of ignition sources and contact with a naked flame.
- 10.5 Incompatible materials: Strong oxidisers.
- **10.6 Hazardous decomposition products:** Under normal conditions: none; if burning under deficiency of air, carbon monoxide may be formed.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity: oral toxicity (rat)  $LD_{50} > 5\ 000\ mg/kg\ (OECD\ 401)$ 

Dermal toxicity (rabbit)  $LD_{50} > 2000 \text{ mg/kg}$  (OECD 402)

Inhalation toxicity (rabbit)  $LC_{50} > 5\ 000\ mg/m^3$  (OECD 403)

Chronic toxicity: chronic inhalation toxicity NOAEL > 220 mg/m<sup>3</sup> (OECD 412)

Skin corrosion/irritation: OECD 404 test results proved no the skin irritation.

Serious eye damage/irritation: OECD 405 test results proved no eye irritation.

**Respiratory or skin sensitization:** the respiratory organ sensitisation data are missing, but no such sensitisation is expected. As regards the sensitisation by skin contact, OECD 406 tests were made and no sensitisation proved.

Germ cell mutagenicity: PAU je < 3 % (IP 346).

**Carcinogenicity:** PAU je < 3 % (IP 346). It is not carcinogenic for dermal or inhalation exposure.

**Reproduction toxicity:** The substance is not toxic for reproduction.

STOT – single exposure: not determined

STOT - repeated exposure: not determined

Aspiration hazards: None.

#### SECTION 12: ECOLOGICAL INFORMATION

Based on acute toxicity of invertebrates and algae, the product is classified as toxic to the environment, H412.

#### 12.1 Toxicity

Acute toxicity for aquatic environment: fish -  $LL_{50}$  (96 hrs) > 100 mg/l, NOEL  $\geq$  100 mg/l (OECD 203)

Algae  $EL_{50}$  (72 hrs)  $\ge$  100 mg/l (OECD 201)

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

Product name:DexollPPGL-490WDate of issue:23. 02. 2012

Revision date: 22. 07. 2015 (Version 3.0)

Invertebrates EL\_{50} (48 hrs) > 10 000 mg/l, NOEL  $\geq$  1000 mg/l (OECD 202)

Chronic toxicity for aquatic environment: invertebrates NOEL (21 days) 10 mg/l, fish NOEL (21 days) 10 mg/l Toxicity for soil microorganisms and for soil macroorganisms: Not expected

- 12.2 Persistence and degradability: Not expected the substance is not soluble in water.
- **12.3 Bio accumulative potential:** Not expected the substance is biodegradable.
- **12.4 Mobility in soil:** Not expected the substance is biodegradable.
- 12.5 Results of PBT and vPvB assessment: Not expected because of the composition and low solubility in water.
- **12.6 Other adverse effects:** The formation of product layers on water surfaces prevents the access of oxygen.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

**Substance disposal procedures**: Waste, impaired product or unused/surplus product must be handed over to the person authorised for waste disposal according to the provisions of Act No. 185/2001 Coll., on Waste, as amended later, for the purposes of further use or disposal (according to the manufacturer's recommendations).

Waste Code: N 13 02 05, in sorbent: N 15 02 02

**Contaminated packaging disposal procedures**: The containers with product residua must be placed on the place specified by the municipal authorities or handed over to the person authorised for waste disposal. **Waste legislation**: Act No. 185/2001 Coll., on Waste, as amended later and connected implementation rules and regulations.

#### SECTION 14: TRANSPORT INFORMATION

Nomenclature and labelling according to the European Agreement concerning the International Carriage of Dangerous Goods, Road (ADR)/Rail (RID)

- 14.1 UN Number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): none
- 14.4 Packing group: none
- 14.5 Environmental hazard: none

#### 14.6 Special precautions for users:

Petroleum liquids under the Act on the waters, as amended, considered dangerous because of the requirements of the quality of surface and groundwater when transporting large volumes necessary to follow the advice of Standard 75 3418.

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code: not applicable

## SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation special for the substance or mixture

- Act on Clean Air Protection, as amended later, incl. connected regulations and rules. The product does not represent a volatile organic substance pursuant to Act on Clean Air Protection as amended and relevant regulations of the Ministry of Environment.
- ✓ ČSN 65 0201 Flammable Liquids manufacturing, storage and handling premises According to ČSN 65 0201, the product is classified in the IV Flammability Class.
- ✓ ČSN 33 0371 Inexplosive electrical installation Explosive mixtures Classification and methods of testing According to ČSN 33 077, the product is classified in the T3 Thermal Class.
- ✓ Government Regulation No. 361/2007 Coll., by which the conditions of occupational health and safety are stipulated, as amended later.
- ✓ ČSN 75 3415 Protection of water against oil products. Premises for oil product handling and storage.

## According to the European Regulation (EC) No. 1907/2006, Commission Regulation (EC) No. 453/2010

Product name:Dexoll PP GL-4 90WDate of issue:23. 02. 2012Revision date:22. 07. 2015 (Version 3.0)

✓ Act No. 350/2011 Coll., on chemical substances and chemical mixtures, and on amendments of some acts.

- ✓ Regulation (EU) No. 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- ✓ Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

#### 15.2 Chemical safety assessment

The chemical safety assessment has been made.

#### SECTION 16: OTHER INFORMATION

#### 16.1 List of H-phrases and P-phrases according to Regulation (EC) No. 1272/2008:

#### Standard safety phrases: H-phrases

H302 Harmful if swallowed

- H304 May be fatal if swallowed and enters airways
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

#### Safe handling instructions: P-phrase

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment

P280 Wear protective clothing

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P333+P313 If skin irritation or rash occurs: Get medical advice

P362+P364 Take off contaminated clothing and wash before reuse

P501 Dispose of contents/container according to local regulations

#### 16.2 Information on changes

- ✓ The change was made on the basis of Commission Regulation (EU) No 453/2010.
- ✓ The change (version 2.1) art. 3.2, 14.6, 15.1, 16.1, 16.2.
- ✓ The change (version 2.2) art. 3.2, 16.1, 16.2.
- ✓ The change (version 3.0) Classification CLP.

The data contained in this safety data sheet are based on our current knowledge and experience and they are related to the specified product only. The user is responsible for the product correct handling under the current legislation.